



apple
color sorter
India's Most Trusted Color Sorter Brand



QUALITY | BUILT TO PERFECTION
MULTI - GRAIN SORTING

APPLE



Model	EG 120	EG 160
No of Chnals	120	160
Primary	60	100
Secondary	40	40
Final	20	20
Capacity	1.5T - 2T / HR	2T - 2.5T / HR
Power Required	3 KVA	3 KVA
Voltage / Frequency	230v / 50 HZ	230v / 50 HZ
Dimensions LxBxH (mm)	1640x1460x1925	1640x1460x1925
Air Requirements	15 HP	15 HP

Model	EG 280	EG 360	EG 480
No. of Channels	280	360	480
Primary	160	200	280
Secondary	80	80	120
Final	40	80	80
Capacity	3.5T - 4T / HR	4T - 5T / HR	5T - 6T / HR
Power Required	8 KVA	8 KVA	10 KVA
Voltage / Frequency	230v / 50 HZ	230v / 50 HZ	230v / 50 HZ
Dimensions LxBxH (mm)	2230x1460x1925	2230x1460x1925	2850x1460x1925
Air Requirements	25 HP	25 HP	35 HP






Features

- Double view camera technology for accurate results through high speed 2048 pixel imported line scan CCD Camera
- High speed electronic processing through FPGA
- Ultra High speed long life imported ejectors
- Optimized illumination system using LED and Fluorescent Lamps
- Specially treated extruded aluminium chutes
- User friendly 7" Color Human machine interface
- Imported Rodless cylinder for trouble free cleaning
- Option for removal of chalky rice
- Automatically stops the machine when air pressure is low
- Reduced air consumption due to highly precised nozzle design

Model	EG 192	EG 256	EG 288
No.of Channels	192	256	288
Primary	96	160	160
Secondary	64	64	64
Final	32	32	64
Capacity	2.25T - 2.75T / HR	3T - 3.5T / HR	3.5T - 4.5T / HR
Power Required	4 KVA	5 KVA	5 KVA
Voltage / Frequency	230v / 50 HZ	230v / 50 HZ	230v / 50 HZ
Dimensions LxBxH (mm)	2230x1460x1925	2230x1460x1925	2230x1460x1925
Air Requirements	20 HP	20 HP	20 HP

- Specifications may be changed without notice due to continuous improvement in technical developments
- Capacity depends upon quality of input products and quality of sorting required. Capacity mentioned in the catalogue are assuming at 0.5% contamination in the input
- The capacity of air required depends on the contamination percentage and quality of sorting required

DIMENSIONS



The above dimensions are in mm for the model of EG360.
For other model dimensions, Please contact the manufacturer.

AUTHORIZED SERVICE CENTRE AVAILABLE ALL OVER INDIA AND ABROAD

apple
color sorter
India's Most Trusted Color Sorter Brand



BUILT TO PERFECTION

EVERGREEN SORTING TECHNOLOGIES

S.F. No : 505/3A, Shivalapuri Amman Nagar, Nallampalayam Main Road,
Sanganur, Rathinapuri Post, Coimbatore - 641 027, Tamil Nadu, India ,
P : +91 0422 266 7051, M : +91 99407 05048 - 95009 22273 - 98944 26004

E mail : applemarketing2008@gmail.com
w : www.applecolorsorter.com - www.applecolorsorter.in